

Key: >>> ... marks correct (expected) result
> ... marks conditionally correct (acceptable) result
± ... marks the result not evaluated

N ... number of the results
Nrel ... relative number of the results

Test

Sample	Group	N	Result	N _{rel}
--------	-------	---	--------	------------------

Set of samples 1**(420) Anti-gliadin IgG (native)**

A1	All results	>>>	18 Negative	100 %
Total per sample: n = 18		Success: 100 %		
B1	All results	>>>	18 Positive	100 %
Total per sample: n = 18		Success: 100 %		
Total success: 100 %				

(421) Anti-gliadin IgA (native)

A1	All results	>>>	18 Negative	100 %
Total per sample: n = 18		Success: 100 %		
B1	All results	>>>	18 Positive	100 %
Total per sample: n = 18		Success: 100 %		
Total success: 100 %				

(594) Anti-gliadin IgG (deamidated)

A1	All results	>>>	74 Negative	99 %
			1 Positive	1,3 %
Total per sample: n = 75		Success: 99 %		
B1	All results	>>>	2 Negative	2,7 %
			73 Positive	97 %
Total per sample: n = 75		Success: 97 %		
Total success: 97 %				

(595) Anti-gliadin IgA (deamidated)

A1	All results	>>>	70 Negative	97 %
			2 Positive	2,8 %
Total per sample: n = 72		Success: 97 %		
B1	All results	>>>	1 Negative	1,4 %
			71 Positive	99 %
Total per sample: n = 72		Success: 99 %		
Total success: 97 %				

Set of samples 2**(424) Anti-endomysium IgA**

A2	All results	>>>	67 Negative	100 %
Total per sample: n = 67		Success: 100 %		
B2	All results	>>>	1 Negative	1,5 %
			66 Positive	99 %
Total per sample: n = 67		Success: 99 %		
Total success: 99 %				

(425) Anti-transglutaminase IgA

A2	All results	>>>	79 Negative	98 %
			2 Positive	2,5 %
Total per sample: n = 81		Success: 98 %		
B2	All results	>>>	2 Negative	2,5 %
			79 Positive	98 %
Total per sample: n = 81		Success: 98 %		
Total success: 96 %				

Set of samples 3**(422) Anti-cow milk IgG**

A3	All results	>>>	2 Negative	3,6 %
			54 Positive	96 %
Total per sample: n = 56		Success: 96 %		
B3	All results	>>>	54 Negative	96 %
			1 Inconclusive result (borderline)	1,8 %
			1 Positive	1,8 %
Total per sample: n = 56		Success: 96 %		
Total success: 93 %				

(423) Anti-cow milk IgA

A3	All results	>>>	4 Negative	7,1 %
			52 Positive	93 %
Total per sample: n = 56		Success: 93 %		
B3	All results	>>>	56 Negative	100 %
Total per sample: n = 56		Success: 100 %		
Total success: 93 %				

Test

Sample	Group	N	Result	N _{rel}
--------	-------	---	--------	------------------

Set of samples 4**(592) Anti-Saccharomyces cerevisiae IgA**

A4	All results	>>> 57	Negative	100 %
----- Total per sample: n = 57		----- Success: 100 %	-----	
B4	All results	1	Negative	1,8 %
		>>> 56	Positive	98 %
----- Total per sample: n = 57		----- Success: 98 %	-----	
Total success: 98 %				

(593) Anti-Saccharomyces cerevisiae IgG

A4	All results	>>> 50	Negative	98 %
		1	Positive	2,0 %
----- Total per sample: n = 51		----- Success: 98 %	-----	
B4	All results	>>> 51	Positive	100 %
----- Total per sample: n = 51		----- Success: 100 %	-----	
Total success: 98 %				

st_kl

End of report

Printed: 11.11.2017